




Led Down Light



**Product:** Led Down Light

**Model:** MG4/MG6

### Features

- - Standard Colors: White, Black, Brush Nickel, Chrome (Can Custom Colors)
- - Air Tight & IC Rated
- - High Efficiency
- - Driver Type: Constant Current Body
- - 100-130V 5CCT Adjusted by DIP Switch: 27K/30K/40K/50K/60K
- - Bluetooth and RGB+CCT Changeable Smart Control: 27K/30K/40K/50K/60K
- - Bluetooth, WiFi and RGB+CCT Changeable Smart Control: 27K/30K/40K/50K/60K

## Details

Item	Model	Led Recessed Ceiling		
General Performance	Power	9W-15W		
	Luminous Efficacy	80		
	Default Driver Input	100-347 V		
	Color Temperature	2700-6500		
	LED	SMD		
Electrical	Power Factory			
	Input Voltage	100-347 V		
	THD	<20%		
Physical	Weight		2.3 Pounds	
	Dimension	5 1/4"	1 1/8"	Visible Trim Thickness 1/8"
	Housing			
	Beam Angle	70°		
	Lens	Glass		
	Mounting			
	Operation Temperature			
	Humidity			
	Finish			
	IP rated			
Certificate	Certificate	UL,DLC.LM80		
	Material Usage			
	Driver Class	Constant Current Body		
	LED Class			

# Certifications



LM80



ErP



IP65

