

Product: LED Pot Light

Model: PC-125

Features

- -Standard Color: White, Black, Brush Nickel (Chrom; Can Custom Colors).
- -Air Tight y IC Rated.
- -High Efficiency.
- -IC Rated Junction Box UL Isolated Driver (Aluminum/Iron, Metal Junction Box Optional).
- -3CCT Adjusted By DIP Switch: 30K/40K/50K
- -5CCT Adjusted By DIP Switch: 27K/30k/40k/50k/60k
- -3CCT Adjusted By DIP Switch And Wall Switch Control: 30k/40k/50k
- -5CCT Adjusted By DIP Switch And Wall Switch Control: 27k/30k/40k/50k/60k

Details

ltem	Model	LED Pot Light		
General Performance	Power	9W		
	Luminous Efficacy	75-80 LM/W		
	Default Driver Imput	AC: 100-130V		
		100-277V		
		100-347V 60HZ		
		TRIAC/ 0-10V DIM		
	Color Temperature	2700-6500k		
	LED	SMD		
Electrical	Power Factory	>0.9		
	Input Voltage	100-347 V		
	THD			
Physical	Weight			
	Dimension	4 Inch		
	Housing			
	Beam Angle	110°		
	Lens			
	Mounting			
	Operation Temperature			
	Humidity	Dramp Location		
	Finish			
	IP rated	Damp Location		
	Certificate	IC, FC		

Certificate	Material Usage	Plastic Clad Aluminum + PC	
	Driver Class	Constant Current Body	
	LED Class		

Certifications

















